

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **MAGIRUS PUMP OIL BLUE**

Application / Use: Industrial lubricant

Article number: 503792280

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Application of the substance / the preparation: Industrial oil, not specified

Uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Magirus GmbH
Graf-Arco-Straße 30
DE - 89079 Ulm

Tel: +49 (0) 731 408 4467
Fax: +49 (0) 731 408 2410
EMail: magirus@cnhind.com
Homepage: www.magirusgroup.com

Further information obtainable from:

Magirus Service-Line
magirus-ersatzteilwesen@cnhind.com

1.4 Emergency telephone number:

In case of emergency ONLY:

Emergency response (24 hours) CHEMTREC:

1-800-424-9300 / +1-703-741-5970
+(44)-870-8200418 (United Kingdom)
+(44)-203-8073798 (United Kingdom)
+(31)-858880596 (Netherlands)
+(61)-290372994 (Australia)
0-800-983-611 (South Africa)
+1 703-527-3887 (USA & Canada)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements

P501 Dispose of contents/container in accordance with local regulations.

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture

Dangerous components:

Base oil, low-viscosity (***)	Asp. Tox. 1, H304	≤2.5%
-------------------------------	-------------------	-------

Additional information:

***) may contain: CAS-numbers (REACH-Registration numbers):

64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82)

The wording of the hazard symbols and H-phrases is specified in section 16 if dangerous ingredients are mentioned.

Components with threshold limit values are mentioned at section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Position and transport stably in side position.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

Information for doctor: Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, sand, extinguishing powder.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Do not use water with full jet.

5.2 Special hazards arising from the substance or mixture:

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide (CO)

Sulphur oxide (SO_x)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Additional information: Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 2)

6.2 Environmental precautions:

Do not allow to enter sewers, surface or ground water.
Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Store in cool, dry place in tightly closed receptacles.
No special precautions are necessary if used correctly.
Information about fire - and explosion protection: Fire class EN 2: B

Handling: When handling product in drums use safety footwear and suitable tools. At work please do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.
Provide floor trough without outlet.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Store away from foodstuffs.
Store away from oxidising agents.
Store away from water.

Further information about storage conditions: Recommended storage temperature: 5 to 40 °C.

Shelf life from date of dispatch: Maximum 3 years

7.3 Specific end use(s): For more information see technical information.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

Ingredients with biological limit values:

Additional Occupational Exposure Limit Values for possible hazards during processing: TLV-TWA oil mist 5 mg/m³ (USA, ACGIH)

Additional information:

The lists valid during the making were used as basis.
If formation of steam, mist or aerosols take place the concentration in the air has to be kept at the lowest possible level.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
Avoid close or long term contact with the skin.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 3)

Respiratory protection:

No respiratory protection is ordinarily required under normal conditions of use. Select a filter suitable for combined particulate/ gases and organic vapours (boiling point > 65 ° C, AP2, EN 14387), if exposure limit is exceeded or when aerosol or mist is formed.

Hand protection

Safety gloves of nitrile rubber or viton.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level = 6 (480 min)

Eye/face protection Goggles recommended during refilling.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	Light blue
Odour:	Mild
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	0.9 Vol % (typ.)
Upper:	7.0 Vol % (typ.)
Flash point:	>220 °C (DIN EN ISO 2592)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	67 mm ² /s (DIN 51 562)
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 15 °C:	0.857 g/cm ³ (DIN 51 757)
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information

Appearance:

Form: Fluid

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 4)

Important information on protection of health and environment, and on safety.

Ignition temperature:

Not determined.

Explosive properties:

The product shows no danger of explosion, but it may build explosive mixtures with air (by vaporisation, oil mist formation, heating above the flash point).

Change in condition

Drip point:

Not determined.

Pour point:

- 38 °C (DIN ISO 3016)

Evaporation rate

Not determined.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity See 10.2 to 10.6

10.2 Chemical stability: Stable at normal conditions.

Thermal decomposition / conditions to be avoided: Avoid contact with heat, sparks, flames and all other sources of ignition.

10.3 Possibility of hazardous reactions: Reacts with strong oxidising agents.

10.4 Conditions to avoid No specific data available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

Additional information: Product is not classified as inflammable but can burn.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

These statements are based on data for components of the material or for similar materials.

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Base oil, low-viscosity ***)

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 5)

Skin corrosion/irritation Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**by inhalation:** No irritant effect expected.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Subacute to chronic toxicity:**

Prolonged and/or repeated contact may cause defatting of the skin which can lead to dermatitis and may make the skin more susceptible to irritation and penetration by other materials.

Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****Base oil, low-viscosity ***)**

EC50/48h	>10,000 mg/l (Daphnia magna)
LC50/96h	>100 mg/l (Pimephales promelas) (OECD 203)
NOEC/21d	>10 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** The product is not soluble in water. If it enters soil, it will adsorb to soil particles and will not be mobile.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects:****Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**European waste catalogue**

13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
-----------	---

Uncleaned packaging: Empty packing completely. Handover to authorized disposal company.**Recommendation:**

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 25.01.2021

**Version number 1

Revision: 25.01.2021

Trade name: **MAGIRUS PUMP OIL BLUE**

(Contd. of page 6)

SECTION 14: Transport information

14.1 UN number or ID number	
ADR, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
--

None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

Department issuing SDS: Magirus Service-Line

Contact:

Magirus Service-Line
magirus-ersatzteilwesen@cnhind.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

**Information about the version number: Replaces all previous versions.